TAMPOPRINT

CLICHE LASER PLUS



Do-it-yourself production of pad printing clichés

Economic cliché laser (bench top unit)

CLICHE LASER PLUS

TAMPOPRINT offers you this cliché production station (bench top unit) at a top price-performance ratio. By updating this model the laser beam source was improved and the import functions were extended.

- Operator independent
- Extremely simple operation
- Print image change directly at the PC
- Ideal for frequentlyy changing images
- Constant quality of your pad printing results of almost 100%

The production of a laser engraved Aloxid-special cliché with the TAMPOPRINT CLICHE LASER PLUS is the most economic laser engraved cliché production on the market and clearly superior to the laser plotter systems with regard to precision and speed. The TAMPOPRINT CLICHE LASER PLUS is extremely easy to operate for the user.

What you don't need any more?


A special "room with amber light", exposure process, etching process, wash-out process, drying process, and all units and auxiliaries that are needed for the classic production of printing clichés.

In order to acquire knowledge of the digital pre-press, you can register for an intensive operator training.

Enquiries to mailto:seminar@tampoprint.de

Laser systems - CLICHE LASER PLUS





Multi cliché plate for cliché sizes from TAMPOPRINT

CLICHE LASER PLUS

Software

Predefined parameters for the different cliché types that were exclusively developed by TAMPOPRINT. Generation and handling of data that can be laser engraved. Software TP_alfa® and iTAMPOPRINT light pre-installed.

Importation of *.dxf printing data (vector/line graphics): *.dxf, *.ai, *.plt, *.pdf, *.eps.

Selection of the parameters.

Quality assurance by archiving and administering of the laser jobs.



User interface

Consumables – pad printing cliché

Developed EXLUSIVELY by TAMPOPRINT:

- 3 types of pad printing clichés that can be laser engraved.
- Magnet-Aloxid cliché
- Aloxid special cliché
- Magnet-microflex cliché

All clichés that can be laser engraved are specially designed for lasers with a wave length of 1064 nm. Unlimited storage.



EXCLUSIVE! Pad printing clichés for laser engraving



Cliché format adapter for third-party products (option)



Suction and filter unit (option)



Software iTAMPOPRINT





TECHNICAL DATA

CLICHE LASER PLUS

| TAMPODDINT OLIOUF LACED DUILG | | |
|------------------------------------------|------------|---------------------------------------------------------------------------------------------|
| TAMPOPRINT CLICHE LASER PLUS | | 41.00.05 |
| Item No. | | 41 00 05 |
| Operating system preinstalled | | current Microsoft operating system, Multilanguage |
| Applications software preinstalled | | TP_alfa®, iTAMPOPRINT light |
| Import print image data | | vector/line graphics *.dxf, *.ai, *.plt, *.pdf, *.eps |
| Marking area max. | mm | 110 x 110 |
| Pad printing cliché types | | Magnet-Aloxid, Magnet-microflex, Aloxid-special clichés |
| Pad printing cliché sizes up to max. | mm | 300 x 150 |
| Laser type | SK | 62 |
| Laser medium | | Yb:YAG |
| Wavelength | nm | 1.064 |
| Output power | W | < 20 |
| Object lens | mm | f-Theta 160 |
| Cooling | | Air |
| Working chamber (Width x Depth) | mm | 400 x 300 |
| Inspection glass / Laser safety glass | | Yes |
| Connected voltage +/-10 % | | 230V/1/N/PE |
| Housing design | | laser class 1, DIN EN 60825.1 |
| Width | mm | 500 |
| Depth | mm | 1.000 |
| Height | mm | 660 / 9301) |
| Weight | approx. kg | 90 |
| Connections on the rear side of the unit | | USB, network connection, monitor connection, connection adapter for suction and filter unit |
| | | |

Space requirement without monitor, keyboard, suction and filter unit

1) with opened slide door

Options

 Cliché format adapter, tool-free assembly on the multi cliché plate,

cliché sizes (depth x width):


80 x 80 mm: Item No. 41 09 21 80 x 100 mm: Item No. 41 08 98 100 x 100 mm: Item No. 41 08 99 120 x 120 mm: Item No. 41 09 20

- Suction and filter unit according to BIA dust class H: Item No. 41 08 86
- Special production of holding plates for formats of third-party products
- Adapted marking area
- Software iTAMPOPRINT

Scope of supply

- PC (integrated in CLICHE LASER PLUS)
- Monitor 19"
- Wireless keyboard
- Software TP_alfa®, iTAMPOPRINT light
- Multi cliché plate

Trademarks of TAMPOPRINT AG:













The reproduction of trademarks and brands used in this brochure, even if not explicitly expressed, does not justify the assumption that such names or symbols may be considered as free as defined by the Trademark Act and may therefore freely be used. The rights are the property of the respective owner.

TAMPOPRINT products are permanently updated to keep pace with the latest technological developments. For this reason, figures and descriptions are non-binding. Our machines are manufactured based on the currently valid European Machinery Directives as well as the European product standards EN 1010 - 1 and EN 1010 - 2.

Subject to alterations! @Copyright



TAMPOPRINT® AG

Lingwiesenstraße 1

70825 Korntal-Münchingen, GERMANY

+49 7150 928-0 Fax: +49 7150 928-400 E-Mail: info@tampoprint.de Ventes et Affaires Françaises +49 7150 928-144

Fax: +49 7150 928-432 E-Mail: ventes@tampoprint.de http: www.tampoprint.de

TAMPOPRINT® INTERNATIONAL CORP.

1400 26th Street, Vero Beach, FL 32960, USA +1 772 778-8896, 800 810-8896

Fax: +1 772 778-8289 E-Mail: sales@tampoprint.com www.tampoprint.com

TAMPOPRINT® IBERIA S.A.U.

Polígono Industrial Martorelles, C/ Sant Martí, s/n (entre Gorgs y Mogent) 08107 Martorelles (Barcelona), SPAIN

+34 93 2327161 **(** Fax: +34 93 2471500 E-Mail: tampoprint@tampoprint.es http: www.tampoprint.es